


in&out Denia





in&out DENIA 80
Referencia 03408801A

Composición: 95%PES 5%LI
Ancho útil en cm.: 140 cm.
Repetición del dibujo (altura): 11,5
Repetición del dibujo (ancho): 11,2
Repetición para el corte cm.: 11,5
Orientación del dibujo: Urdimbre
Peso gr/m²: 371
Adecuado para tapicería.
Abrasión 40000 ciclos Martindale.
Apto para uso exterior.
Solidez a la luz (máx 8): 5/6
Pilling (max 5): 4
Antimancha
Resistente rayos UV
Encogimiento (urdimbre): -0,70 %
Encogimiento (trama): -0,40 %



03.40880/4G



03.40880/8A




03.40880/5H



03.40880/1A

JOVER

DESDE 1965




in&out DENIA 81
Referencia 03408811A


Composición: 95%PES 5%LI
Ancho útil en cm.: 140 cm.
Repetición del dibujo (altura): 10
Repetición del dibujo (ancho): 17,2
Repetición para el corte cm.: 10
Orientación del dibujo: Urdimbre
Peso gr/m²: 371
Adecuado para tapicería.
Abrasión 40000 ciclos Martindale.
Apto para uso exterior.
Solidez a la luz (máx 8): 5/6
Pilling (max 5): 4
Antimancha
Resistente rayos UV
Encogimiento (urdimbre): -0,70 %
Encogimiento (trama): -0,40 %




03.40881/4G



03.40881/8A



03.40881/5H



03.40881/1A

JOVER

DESDE 1965

O
R
I
L
L
O

E
D
G
E

L
I
S
I
E
R
E



O
R
I
L
L
O

E
D
G
E

L
I
S
I
E
R
E

in&out DENIA 82
Reference 03408821A

Composition: 95%PES 5%LI
Useful width in cms: 140 cm.
Pattern repeat (height): 69
Pattern repeat (width): 69,5
Repeat for cutting cm.: 69
Design direction: Up the roll
Weight gsm: 371
Suitable for upholstery.
Martindale 40000 cycles.
Suitable for outdoor use.
Ligth fastness (max 8): 5/6
Pilling (max 5): 4
Anti-stain
UV resistant
Shrinkage (warp): -0,70 %
Shrinkage (weft): -0,40 %




03.40882/2E



03.40882/4G



03.40882/8A




03.40882/5H



03.40882/1A

JOVER

DESDE 1965



in&out DENIA 83
Reference 03408831A

Composition: 95%PES 5%LI
Useful width in cms: 140 cm.
Pattern repeat (height): 6
Pattern repeat (width): 6
Repeat for cutting cm.: 6
Design direction: Up the roll
Weight gsm: 371
Suitable for upholstery.
Martindale 40000 cycles.
Suitable for outdoor use.
Ligth fastness (max 8): 5/6
Pilling (max 5): 4
Anti-stain
UV resistant
Shrinkage (warp): -0,70 %
Shrinkage (weft): -0,40 %



03.40883/2E




03.40883/4G




03.40883/8A



03.40883/5H




03.40883/1A




in&out DENIA RAYA
Reference 03408841A

Composition: 95%PES 5%LI
Useful width in cms: 140 cm.
Pattern repeat (height): 1
Pattern repeat (width): 34,5
Repeat for cutting cm.: 1
Design direction: Up the roll
Weight gsm: 371
Suitable for upholstery.
Martindale 40000 cycles.
Suitable for outdoor use.
Ligth fastness (max 8): 5/6
Pilling (max 5): 4
Anti-stain
UV resistant
Shrinkage (warp): -0,70 %
Shrinkage (weft): -0,40 %



03.40884/2E



03.40884/4G



03.40884/8A



03.40884/5H



03.40884/1A